Sl.No.	Infrastructure for	Available No.	Area in Sq. mts	F
1	Laboratory Area for D.Pharm Course	5	481	
2	Pharmaceutics	1	123	
3	Pharmaceutical Chemistry	1	80	
4	Physiology and Pharmacology	1	75	
5	Pharmacy Practice	1	123	
6	Pharmacognosy	1	80	
7	Animal House	1	46	
8	Preparation Room for each lab	5	50	
9	Area of the Machine Room	1	123	
10	Aseptic Room	1	25	
11	Store Room I	1	37	
12	Store Room II Inflammable chemicals	1	37	

Signature of the Head of the Institution **Signature of the Inspectors**

PRINCIPAL
GOVT. GIRLS POLYTECHNIC
ALLAHABAD

The Institutes will not be permitted to run the courses in the rented building on or after 31.12.2008

1. All the Laboratories should be well lit & ventilated.
2. All Laboratories should be provided with basic amenities and services like exhaust fans and fuming chamber tc the pollution whenever necessary.
3. The workbenches should be smooth and easily cleanable prefebly made of non-absorbant material.
4. The water taps should be non-leaking and directly installed on skins Drainage should be efficient.
5. Balance room should be attached to the cocerned laboratories.

4. Administration Area

Sl. No.	Name of Infrastructure	Requirements as per Norms (in Number)	Requirements as per Norms (in Area)	Available		Remarks/D
				No.	Area in Sq.mts	
1	Principal's Chamber	01	20 Sq. mts	1	32	
2	Office - I (including confidential room)	01	40 Sq. mts	1	74	
3	Staff / Faculty Rooms for D. Pharm course	01	30 Sq. mts	0	0	
4	Library with computer and reprographic facilities	01	100 Sq. mts	1	170	
5	Museum	01	30 Sq. mts (Maybe attached to the Pharmacognosy lab)	1	47	
6	Auditorium/ Multi Purpose Hall (Desirable)	01	250 - 300 seating capacity	1	199	
7	Herbal Garden (Desirable)	01	Adequate Number of Medical Plants	1	225	

5. Student Facilities

Sl. No.	Name of Infrastructure	Requirements (in Number)	Requirements (in Area)	Available		Remarks/D
				No.	Area in Sq.mts	
1	Girls's Common Room (Essential)	01	40 Sq. mts	1	75	
2	Boy's Common Room (Essential)	01	40 Sq. mts	0	0	
3	Toilet Blocks for Girls	01	25 Sq. mts	2	30	
4	Toilet Blocks for Boys	01	25 Sq. mts	1	10	
5	Drinking Water facility - Water cooler (Essential)	01	--	1	10	
6	Boy's Hostel (Desirable)	01	9 Sq.	0	0	