Sl. No.	Name	Minimum required Nos.	Available Nos.	Working	Remarks of the In
1	Refractometer	1	1	Yes	
2	Polarimeter	1	2	Yes	
3	Photoelectric colorimeter	1	1	Yes	
4	Ph meter	1	2	Yes	
5	Atomic model set	2	10	Yes	
6	Electronic balance	1	1	Yes	
7	Periodic table chart	0	2	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

Physiology & Pharmacology Laboratory

Equipments:

Sl. No.	Name	Minimum required Nos.	Available Nos.	Working	Remarks of the In
1	Haemoglobinometer	20	20	Yes	
2	Haemocytometer	10	10	Yes	
3	Student's organ bath	1	5	Yes	
4	Sherington's rotating drum	1	6	Yes	
5	Frog board	0	10	Yes	
6	Tray (dissecting)	0	10	Yes	
7	Frontal writing lever	0	15	Yes	
8	Aeration tube	0	20	Yes	
9	Telethermometer	1	1	Yes	
10	Pole climbing apparatus	1	1	Yes	
11	Histamine chamber	1	1	Yes	
12	Simple lever	0	15	Yes	
13	Sterling heart lever	0	10	Yes	
14	Aerator	0	5	Yes	
15	Histological Slides	0	25	Yes	
16	Sphygmomanometer (B.P. apparatus)	5	12	Yes	
17	Stethoscope	5	5	Yes	
18	First aid equipment	0	5	Yes	
19	Contraceptive device	0	5	Yes	
20	Dissecting (surgical) instruments	0	20	Yes	
21	Balance for weighing small Animals	1	1	Yes	
22	Kymograph paper	0	1	Yes	
23	Actophotometer	1	1	Yes	
24	Analgesiometer	1	1	Yes	
25	Thermometer	0	20	Yes	
26	Plastic animal cage	0	10	Yes	
27	Double unit organ bath with thermostat	1	1	Yes	
28	Refrigerator	1	1	Yes	
29	Digital balance	1	1	Yes	
30	Charts	0	90	Yes	
31	Human skeleton	1	1	Yes	
32	Anatomical specimen (Heart, brain, eye,,ear,,reproductive system etc.,)	0	5	Yes	
33	Electro-convulsiometer	1	1	Yes	
34	Stop watch	0	9	Yes	
35	Clamp, boss heads, screw clips	0	20	Yes	
36	Syme's Cannula	0	20	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

Pharmacognosy Laboratory

Equipments:

Sl. No.	Name	Minimum required Nos.	Available Nos.	Working	Remarks of the In
1	Projection Microscope	1	1	Yes	
2	Charts (different types)	0	150	Yes	
3	Models (different types)	0	50	Yes	
4	Permanent Slides	0	100	Yes	
5	Slides and Cover Slips	0	100	Yes	

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory and the department.

Pharmacy Practice Laboratory

Equipments:

PRINCIPAL
GOVT. GIRLS POLYTECHNIC
ALLAHABAD